

KENYA RELIEF
TENWEK HOSPITAL
AIC CURE











TENWEK HOSPITAL











AIC CURE HOSPITAL








SAWYER 'POINT ONE' WATER FILTER

*0.1 Micron Absolute Hollow Fiber Membrane Filter.

*This Filter removes **Bacteria**: I.E.: Cholera, Typhoid, E. Coli, Salmonella, Streptococcus, Amoebic Dysentery, Coliform Bacteria

Protozoan (Cyst): I.E.: Giardia, Cryptosporidium, Cyclospora

	Waterborne Diseases	EPA Requirement	Exceeds EPA Recommendation	Removal Rate
LIIILEL	Bacteria Which Cause: I.E.: Cholera, Botulism (Clostridium botulinum), Typhoid (Salmonella typhi), Amoebic Dysentery, E. coli, Coliform Bacteria, Streptococcus, Salmonella	99.9999% 6 log	Yes	99.99999% 7 log
ļ	Protozoan (Cyst): I.E.: Giardia, Cryptosporidium, Cyclospora	99.9% 3 log	Yes	99.9999% 6 log
	Viruses: I.E.: Hepatitis A (HAV), Poliovirus, Norwalk, Rotavirus, Adenovirus, Hepatitis E (HEV), Coxsackievirus, Echovirus, Reovirus, Astrovirus, Corona Virus (SARS)	99.99% 4 log	Yes	99.9997% 5.5 log



*SAWYER 'POINT ONE' WATER FILTER (O.1 MICRON FILTRATION) REMOVES **BACTERIA**

*SAWYER 'POINT ZERO TWO' PURIFIER (0.02 MICRON FILTRATION) REMOVES **VIRUSES**









BEFORE





AFTER



FILTERS AT WORK!!